


JOURNEY II

Коллекция JOURNEY II – стильное покрытие с фактурной поверхностью.

Выраженный рельеф и эффект объема выделяют каталог от предыдущего (Journey).

Полотна этой линейки удачно дополняют интерьер любого пространства.








A101-3



A101-1




A101-5



A101-8



A101-6



A101-2



A101-4



A101-7



A0257-4



A0257-1



A0257-7



A0257-3



A0257-10



A103-4



A103-7



A103-6



A103-1



A103-3



A103-5




A103-2



A0261-3



A0261-1



A0261-8



A0261-7



A0261-2



A0261-6



A0261-4



A0251-9



A0251-1



A0251-2



A0251-7



A0251-8



A0251-6



A104-1



A104-3



A104-2



A104-7



A104-5




A104-6




A104-4



A104-8



A107-2



A107-3



A107-4



A107-8



A107-5



A107-7



A107-6



A107-1



A0259-3



A0259-1



A0259-2



A0234-1



A0254-3



A0259-6




A115-3



A115-1



A115-2



A115-4



A115-5



A115-6

54" Commercial Wallcovering JOURNEY II

Physical Properties:

Total Weight(oz./lin.Yd): 15 oz

Fabric Type: Osnaburg

Backing Fabric Weight: 1.8oz./sq.yard

Custom put-ups available(Standard bolt size is 30-yards)

Federal Specifications:

This wallcovering meets or exceeds all requirements of G.S.A. Federal Specification CCC-W-408

Fire Hazard Classification Results:

Tested in accordance with ASTM E-84 Tunnel Test
Class A Fire Rated

Quality Standards:

- LOW IN V.O.C.'s - Composite tested, low V.O.C. Emitting vinyl wallcoverings
- INDOOR AIR QUALITY- Meets California Department of Health Services section 01350 requirements for office and school interior

5- Year Warranty Against Manufacturing Defects:

Use only adhesives and primers as recommended by the manufacturer.

Design Copyright ©Bonny



Дизайны



Румшоты

